

## COMP3511 Fall 2015 Project #2: CPU Scheduling in Nachos

(You are strongly recommended to use the servers in the Lab, the servers are csl2wk01.cse.ust.hk ~ csl2wk40.cse.ust.hk. SSH is OK for that.)

In this project you will learn how to schedule CPU for threads. You are given a simple scheduling system skeleton in Nachos and your tasks are:

1. **Compile Nachos and run the system with pre-implemented First Come First Serve CPU scheduling algorithm.**
2. **Read the code and understand how the given CPU scheduling algorithm is implemented. Implement one function of required data structure.**
3. **Implement the Shortest Job First scheduling algorithm (SJF) in Nachos. Recompile and run the system to test your implementation.**
4. **Explain the results and answer some questions.**

Please don't be overwhelmed by the sheer amount of code provided. In fact you don't need to worry about most of it. The parts that you need to read or modify are given in the following instructions. Please read them carefully, and follow the steps.

### Task 1: Run Nachos with Pre-implemented Scheduling System Skeleton

**Step 1:** Download Nachos source code of this project

```
wget http://course.cse.ust.hk/comp3511/project/project2/os2015fall_nachos_proj2.tar.gz
```

**Step 2:** Extract the source code

```
tar zxvf os2015fall_nachos_proj2.tar.gz
```

**Step 3:** Compile the code

Enter the folder “os2015fall\_nachos\_proj2” and then run “make”.

**Step 4:** Run Nachos

This program was designed to test 2 scheduling algorithms, namely First Come First Serve (FCFS) and Shortest Job First (SJF). To cover all the cases, we do not run the executable file 'nachos' directly. Instead, we run 'test0' and 'test1' to test the 2 scheduling algorithms respectively.

For example, you can run 'test0' to test First Come First Serve scheduling algorithm.

```
./test0
```

If you succeed in running 'test0', you will see the following messages:

```
First-come first-served scheduling
Starting at Elapsed ticks: total 0
Queuing threads.
Queuing thread threadA at Time 0, willing to burst 20 ticks
Switching from thread "main" to thread "threadA"
threadA, Starting Burst of 20 ticks. Elapsed ticks: total 0
threadA, Still 19 to go. Elapsed ticks: total 1
threadA, Still 18 to go. Elapsed ticks: total 2
threadA, Still 17 to go. Elapsed ticks: total 3
threadA, Still 16 to go. Elapsed ticks: total 4
threadA, Still 15 to go. Elapsed ticks: total 5
threadA, Still 14 to go. Elapsed ticks: total 6

.....(We omitted some output here.).....

threadE, Still 0 to go. Elapsed ticks: total 57
threadE, Done with burst. Elapsed ticks: total 57
No threads ready or runnable, and no pending interrupts.
Assuming the program completed.
Machine halting!

Ticks: total 57, idle 0, system 57, user 0
Disk I/O: reads 0, writes 0
Console I/O: reads 0, writes 0
Paging: faults 0
Network I/O: packets received 0, sent 0

Cleaning up...
```

To be concise, we omitted several output lines.

The following table would give very useful information to you.

Executable File	Source File	Corresponding Algorithm	Already Implemented?
test0	test.0.cc	FCFS	Yes
test1	test.1.cc	SJF	No

You can run test0 to test the pre-implemented algorithms. However, because SJF algorithm are not yet implemented, if you run test1 to test it, there will be an error. You can view the source code of test files in test.0.cc and test.1.cc.

### Step 5: Read the code

Please read the code carefully. Try to understand how the given scheduling algorithm is implemented. You need to focus on *threadtest.cc*, *scheduler.h*, *scheduler.cc*, *list.h*, *list.cc*. Here we provide you some notes about the code.

The CPU scheduling algorithms are mainly implemented in 3 functions: `ReadyToRun()`, `FindNextToRun()`, `ShouldISwitch()`, in *scheduler.cc*.

- 1) *ReadyToRun()* decides the policy of placing a thread into ready queue (or multilevel queues, which will not be included in this project) when the thread gets ready. For example, in FCFS we simply append the thread to the end the ready queue, while in SJF we insert the threads to the queue according to its CPU burst time.
- 2) *FindNextToRun()* decides the policy of picking one thread to run from the ready queue. For example, in FCFS scheduling, we fetch the first thread in ready queue to run.
- 3) *ShouldISwitch()* decides whether the running thread should preemptively give up to a new forked thread. In FCFS scheduling, the running thread does not preemptively give up its CPU resources. Note that only in preemptive algorithms, it is needed to decide whether the running thread should give up or not. In other algorithms, you can simply return false.

## Task 2: Implement `PrintListSize()` function of list

In nachos, the threads ready to run are recorded in the ready queue: `readyList`. It is a linked list defined in `list.cc` and `list.h`. And `PrintListSize()` in `list.cc` can be used for printing the number of threads waiting in the `readyList`. This function has not been implemented yet and in this task you are required to implement it. Please be noted that `readyList` is a normal linked list.

Below are the steps:

**Step 1.** Implement the `PrintListSize()` function in `list.cc` under `thread` folder.

**Step 2:** Enter the folder “os2015fall\_nachos\_proj2”, run “make clean” and then “make” to recompile the code

**Step 3:** Run `test0` and record the output in `proj2_test0.txt`

```
./test0 > project2_test0.txt
```

If you succeed in running 'test0', you will see the following messages:

```
First-come first-served scheduling
Starting at Elapsed ticks: total 0
Queuing threads.
Queuing thread threadA at Time 0, willing to burst 20 ticks
Currently there are 1 items in ReadyList
Switching from thread "main" to thread "threadA"
threadA, Starting Burst of 20 ticks. Elapsed ticks: total 0

.....(We omitted the other output here.).....
```

## Task 3: Implement SJF Scheduling Algorithms

In this task, you are required to implement the remaining scheduling algorithms Shortest Job First (**Non-preemptive**), and then test your implementation. To achieve this, you needn't modify any source file other than *scheduler.cc*. You are supposed to add some code in the following three functions in *scheduler.cc*:

`ReadyToRun()`, `FindNextToRun()` and `ShouldISwitch()`.

**Note:** Be very careful of **cases** in **switch** block(s) in each of those functions. Make sure you put your code in the right place.

Since you have to operate one or more Lists, you could refer to *list.h* and *list.cc* to get familiar with List operations. Please make good use of appropriate List operations, and the crucial requirement of this project for you is to understand and experiment with different scheduling algorithms instead of coding itself, so the coding part is actually relatively easy.

You are supposed to add some code with respect to SJF algorithm in **case SCHED\_SJF** in each function in *scheduler.cc*. In SJF algorithm, the thread with the shortest burst time in the ReadyList should be scheduled for running after the current thread is done with burst. If there are more than one threads with the same shortest burst time in the ReadyList, they must be scheduled in FCFS manner.

Some notes are given to you:

1. The burst time of a thread is an integer greater than 0. The burst time of a thread can be obtained by the function `getBurstTime()` defined in the class *thread*.
2. Do NOT use the function `setBurstTime()` to change the burst time of the thread dynamically in your own code.
3. You can insert the thread to ReadyList according to its burst time when a thread gets ready. Therefore, it can be guaranteed that the first thread in ReadyList is the thread with the shortest burst time.
4. Similarly with FCFS, after a thread is scheduled you should output the number of threads in readyList.

Then you should run “make clean” and then “make” to recompile the code and run `test1` to check the output. (The first command is for you to view and the second is to record the result in the file `project2_test1.txt`.)

```
./test1 > project2_test1.txt
```

## Task 4: Explain the Results

1. Understand the output of test0 (FCFS scheduling), test1 (SJF scheduling). Then calculate the following performance of both the two scheduling algorithms:
  - 1) Average waiting time;
  - 2) Response time;
  - 3) Turn-around time.
2. Compare the performance of the two scheduling algorithms FCFS and SJF in the aspects mentioned in question 1, then discuss the pros and cons of each of the two scheduling algorithms. (Note: you are strongly encouraged to change the input threads in *test.0.cc* and *test.1.cc* in order to make your discussion more convincing. However, when submitting the outputs of test0 and test1, please do submit the outputs with the original input threads.)

**Please write your answers in project2\_report.txt**

### After Finishing These Tasks

- 1) Please generate a single file using ZIP and submit it through CASS.
- 2) The name of the ZIP file should be “proj2\_\*\*\*\*\*.zip”, using your student ID to replace the star symbols.
- 3) The following files should be included inside the ZIP file:

File Name	Description
list.cc scheduler.cc	Source code you have accomplished by the end of Task3
project2_test0.txt	Output of test0 in Task2
project2_test1.txt	Output of test1
project2_report.txt	The answer to the questions in Task 4